ELSEVIER

Journal of Non-Crystalline Solids 232–234 (1998) 729–735

JOURNAL OF NON-CRYSTALLINE SOLIDS

Author Index

Abe, K., O. Uemura, T. Usuki, Y. Kameda and M. Sakurai, The local atomic arrangement in the amorphous As–Te–I system 232–234 (1998) 682
Adachi, H., see Kowada, Y. 232–234 (1998) 497
Agnello, S., R. Boscaino, M. Cannas and F.M. Gelardi, Gamma ray induced 11.8 mT ESR doublet in natural silica 232–234 (1998) 323
Aldinger, F., see Dürr, J. 232–234 (1998) 155
Alexeenko, A.A., see Gurin, V.S. 232–234 (1998) 162
Almeida, R.M., H.C. Vasconcelos, M.C. Gonçalves and L.F. Santos, XPS and NEXAFS studies of rare-earth doped amorphous sol–gel films 232–234 (1998) 65
Almeida, R.M., see Santos, L.F. 232–234 (1998) 638
Anderson, R., G. Mountjoy, M.E. Smith and R.J. Newport, An EXAFS study of silica–titania sol–gels 232–234 (1998) 72
Anderson, R., see Mountjoy, G. 232–234 (1998) 227
Anderson, R., T. Brennan, G. Mountjoy, R.J. Newport and G.A. Saunders, An EXAFS study of rare-earth phosphate glasses in the vicinity of the metaphosphate composition 232–234 (1998) 286
André, J.-J., see Krishna, R.M. 232–234 (1998) 509
Antonioli, G., see Bersani, D. 232–234 (1998) 175
Antonioli, G., see Bersani, D. 232–234 (1998) 293
Antonione, C., S. Spriano, P. Rizzi, M. Baricco and L. Battezzati, Phase separation in multicomponent amorphous alloys 232–234 (1998) 127
Arai, M., see Otomo, T. 232–234 (1998) 613
Armand, P., see Bychkov, E. 232–234 (1998) 314
Arnaudov, M.G., see Sinclair, R.N. 232–234 (1998) 38
Assink, R., see Kerns, L. 232–234 (1998) 86

Bachra, B., see Sinclair, R.N. 232–234 (1998) 38
Balerna, A., M. Bionducci, A. Falqui, G. Licheri, C. Meneghini, G. Navarra and M. Bettinelli, A structural study of Sr metaphosphate glass by anomalous X-ray scattering and EXAFS spectroscopy 232–234 (1998) 607
Baricco, M., see Antonione, C. 232–234 (1998) 127
Barz, A., see Hoppe, U. 232–234 (1998) 44
Battezzati, L., see Antonione, C. 232–234 (1998) 127
Bellissent, R., see Raty, J.Y. 232–234 (1998) 59
Benazeth, S., see Ledru, J. 232–234 (1998) 634
Benmore, Chr., see Biermann, Chr. 232–234 (1998) 309
Bennington, S.M., see Otomo, T. 232–234 (1998) 613
Benoit, C., see Thouy, R. 232–234 (1998) 674
Bent, J.F., A.C. Hannon, D. Holland and M.M.A. Karim, The structure of tin silicate glasses 232–234 (1998) 300
Bergerová, J., see Červinka, L. 232–234 (1998) 335
Bergerová, J., see Červinka, L. 232–234 (1998) 627
Bersani, D., G. Antonioli, P.P. Lottici, Y. Dimitriev, V. Dimitrov and P. Kobourova, Coordination changes in telluro-vanadate glasses containing ZnO or CdO 232–234 (1998) 293
Bersani, D., G. Antonioli, P.P. Lottici and T. Lopez, Raman study of nanosized titania prepared by sol–gel route 232–234 (1998) 175
Bessada, C., see Fayon, F. 232–234 (1998) 403
Bettinelli, M., see Balerna, A. 232–234 (1998) 607
Bettinelli, M., see Rocca, F. 232–234 (1998) 581
Biermann, Chr., R. Winter, Chr. Benmore and P.A. Egelstaff, Structural and dynamic properties of liquid sulfur around the λ-transition 232–234 (1998) 309
Bill, J., see Dürr, J. 232–234 (1998) 155
Bionducci, M., see Balerna, A. 232–234 (1998) 607
Bionducci, M., see Lehmann, A.G. 232–234 (1998) 421
Böhönyey, A., G. Huhn, L.F. Kiss, A. Lovas and I. Geröcs, Effect of metalloid substitution on the reversible structural relaxation of Fe–Ni–B(-P, Si) metallic glasses 232–234 (1998) 490
Börjesson, L., see Swenson, J. 232–234 (1998) 658
Boatner, L.A., see Sales, B.C. 232–234 (1998) 107
Bolotov, A., see Bychkov, E. 232–234 (1998) 314
Bonetti, E., L. Pasquini, E. Sampaolesi and L. Savini, Structural evolution of a Cu_{1-x} Co_x alloy during thermal heating studied by acoustic spectroscopy 232–234 (1998) 239

Bonnet, J.-P., see Caprion, D. 232–234 (1998) 459
Borrego, J.M., C.F. Conde, A. Conde, A.V. Chadwick and G. Morrison, X-ray absorption studies of a FINEMET alloy 232–234 (1998) 352
Borrelli, N.F., see Polizzi, S. 232–234 (1998) 147
Boscaino, R., see Agnello, S. 232–234 (1998) 323
Bowron, D.T., see Mountjoy, G. 232–234 (1998) 227
Boycheva, S.V., see Ivanova, Z.G. 232–234 (1998) 274
Brennan, T., see Anderson, R. 232–234 (1998) 286
Buffa, F., see Lehmann, A.G. 232–234 (1998) 421
Bychkov, E., A. Bolotov, P. Armand and A. Ibanez, EXAFS studies of Cu^{+} ion conducting and semiconducting copper chalcogenide and chalcohalide glasses 232–234 (1998) 314

Calogero, S., see Stievano, L. 232–234 (1998) 644
Cannas, M., see Agnello, S. 232–234 (1998) 323
Cannas, M., see Leone, M. 232–234 (1998) 514
Caprion, D., P. Jund, J.-P. Bonnet and R. Jullien, Influence of the quenching rate and the aging time on the vibrational spectrum of a model glass 232–234 (1998) 459
Caprion, D., see Jullien, R. 232–234 (1998) 119
Casu, M., F.C. Marincola, A. Lai, A. Musinu and G. Piccaluga, A ^{29}Si MAS and ^{1}H NMR investigation of Fe_2O_3–SiO_2 nanocomposites 232–234 (1998) 329
Cattaruzza, E., see D'Acapito, F. 232–234 (1998) 364
Červinka, L., J. Bergerová, A. Dalmaso and F. Rocca, X-ray analysis of the structure of Ag-tetraborate glasses $(AgI)_x$ $(Ag_2O \cdot 4B_2O_3)_{1-x}$ 232–234 (1998) 627
Červinka, L., L. Tichý and J. Bergerová, X-ray analysis of the structure of Ge–S–Ag glasses 232–234 (1998) 335
Červinka, L., see Pakula, T. 232–234 (1998) 619
Červinka, L., Several remarks on the medium-range order in glasses 232–234 (1998) 1
Céolin, R., see Raty, J.Y. 232–234 (1998) 59
Chadwick, A.V., see Borrego, J.M. 232–234 (1998) 352
Cheng, N.F., see Lin, C.K. 232–234 (1998) 520
Cho, Y.S., see Nasu, T. 232–234 (1998) 594
Cluckie, M.M., see Zhao, J. 232–234 (1998) 721
Cocco, G., see Delogu, F. 232–234 (1998) 383
Colmenero, J., see Val, J.J.D. 232–234 (1998) 377
Concas, G., F. Congiu, G. Spano, A. Speghini and K. Gatterer, Mössbauer investigation of rare earth sites in europium containing glasses 232–234 (1998) 341
Conde, C.F., M. Millán and A. Conde, Crystallization behaviour of FeSiB–XNb (X = Pd, Pt) alloys 232–234 (1998) 346
Conde, A., see Borrego, J.M. 232–234 (1998) 352
Conde, A., see Conde, C.F. 232–234 (1998) 346
Conde, C.F., see Borrego, J.M. 232–234 (1998) 352
Congiu, F., see Concas, G. 232–234 (1998) 341
Cormack, A.N., The effect of glass structure on transport properties from atomistic computer simulations 232–234 (1998) 188
Corrias, A., G. Paschina and P. Sirigu, Ni-silica and Cu-silica nanocomposites prepared by ball milling 232–234 (1998) 358
Coutures, J.P., see Fayon, F. 232–234 (1998) 403
Cutroni, M., see Mustarelli, P. 232–234 (1998) 532

Dalba, G., N. Daldosso, P. Fornasini, R. Graziola, R. Grisenti and F. Rocca, X-ray absorption spectroscopy on light emitting porous silicon by XEOL and TEY 232–234 (1998) 370
Dalba, G., see Rocca, F. 232–234 (1998) 581
Daldosso, N., see Dalba, G. 232–234 (1998) 370
Dalmaso, A., see Červinka, L. 232–234 (1998) 627
de Miranda, P.E.V., see dos Santos, D.S. 232–234 (1998) 133
Deganello, G., L. Liotta, A. Longo, A. Martorana, Y. Yanev and N. Zotov, Structure of natural water-containing glasses from Lipari (Italy) and Eastern Rhodopes (Bulgaria): SAXS, WAXS and IR studies 232–234 (1998) 547
Delogu, F., M. Monagheddu, G. Mulas, L. Schiffini and G. Cocco, Some kinetic features of mechanical alloying transformation processes 232–234 (1998) 383
Dendzik, Z., see Paluch, M. 232–234 (1998) 390
Dimitriev, Y., see Bersani, D. 232–234 (1998) 293
Dimitriev, Y.B., see Sinclair, R.N. 232–234 (1998) 38
Dimitrov, V., see Bersani, D. 232–234 (1998) 293
Dimitrov, V.V., see Sinclair, R.N. 232–234 (1998) 38
dos Santos, D.S., and P.E.V. de Miranda, The use of electrochemical hydrogen permeation techniques to detect hydride phase separation in amorphous metallic alloys 232–234 (1998) 133
D'Acapito, F., S. Mobilio, J.R. Regnard, E. Cattaruzza, F. Gonella and P. Mazzoldi, The local atomic order and the valence state of Cu in Cu-implanted soda-lime glasses 232–234 (1998) 364
Dupree, R., see Hussin, R. 232–234 (1998) 440
Dürr, J., P. Lamparter, J. Bill, S. Steeb and F. Aldinger, An X-ray and neutron scattering investigation of precursor derived $Si_{24}C_{43}N_{33}$ ceramics 232–234 (1998) 155
Dutta, J., see Hofmeister, H. 232–234 (1998) 182
Dzugutov, M., B. Sadigh and S.R. Elliott, Medium-range order in a simple monatomic liquid 232–234 (1998) 20

Ebata, H., see Sato, T. 232–234 (1998) 574
Efimov, A.M., Multi-site effect in the IR spectra of various inorganic glasses:

experimental evidence and structural reasons 232–234 (1998) 99
Egelstaff, P.A., see Biermann, Chr. 232–234 (1998) 309
Egry, I., see Jacobs, G. 232–234 (1998) 396
Elliott, S.R., see Dzugutov, M. 232–234 (1998) 20
Elliott, S.R., see Taraskin, S.N. 232–234 (1998) 205
Ennas, G., A. Mei, A. Musinu, G. Piccaluga, G. Pinna and S. Solinas, Sol–gel preparation and characterization of Ni–SiO_2 nanocomposites 232–234 (1998) 587

Fagherazzi, G., see Polizzi, S. 232–234 (1998) 147
Falqui, A., see Balerna, A. 232–234 (1998) 607
Farnan, I., see Fayon, F. 232–234 (1998) 403
Fayon, F., C. Bessada, D. Massiot, I. Farnan and J.P. Coutures, ^{29}Si and ^{207}Pb NMR study of local order in lead silicate glasses 232–234 (1998) 403
Ferreira da Silva, M.G., and M.A. Valente, Crystallization and properties of sol–gel derived $10Fe_2O_3$–$10Al_2O_3$–$80SiO_2$ glass-ceramics 232–234 (1998) 409
Filipecki, J., see Hyla, M. 232–234 (1998) 446
Fornasini, P., see Dalba, G. 232–234 (1998) 370
Fukunaga, T., K. Nagano, U. Mizutani, H. Wakayama and Y. Fukushima, Structural change of graphite subjected to mechanical milling 232–234 (1998) 416
Fukunaga, T., S. Kajikawa, Y. Hokari and U. Mizutani, The structure of amorphous Se–S prepared by mechanical alloying 232–234 (1998) 465
Fukunaga, T., see Kakinuma, F. 232–234 (1998) 470
Fukushima, Y., see Fukunaga, T. 232–234 (1998) 416

Gaskell, P.H., see Zhao, J. 232–234 (1998) 721
Gaspard, J.P., see Raty, J.Y. 232–234 (1998) 59
Gatterer, K., see Concas, G. 232–234 (1998) 341
Gburski, Z., see Paluch, M. 232–234 (1998) 390
Gelardi, F.M., see Agnello, S. 232–234 (1998) 323
Gelardi, F.M., see Leone, M. 232–234 (1998) 514
Gerőcs, I., see Böhönyey, A. 232–234 (1998) 490
Gerike, W., see Herms, G. 232–234 (1998) 427
Gilkes, K.W.R., see Walters, J.K. 232–234 (1998) 694
Glock, K., O. Hirsch, P. Rehak, B. Thomas and C. Jäger, Novel opportunities for studying the short and medium range order of glasses by MAS NMR, ^{29}Si double quantum NMR and IR spectroscopies 232–234 (1998) 113
Gonçalves, M.C. see Almeida, R.M. 232–234 (1998) 65
Gonella, F., see D'Acapito, F. 232–234 (1998) 364
Graziola, R., see Dalba, G. 232–234 (1998) 370
Greer, A.L., see Nasu, T. 232–234 (1998) 594
Grisenti, R., see Dalba, G. 232–234 (1998) 370
Grisenti, R., see Rocca, F. 232–234 (1998) 581
Gurin, V.S., V.B. Prokopenko, I.M. Melnichenko, E.N. Poddenezhny, A.A. Alexeenko and K.V. Yumashev, Formation of ultrafine particles of copper and copper sulfide in silica films and glasses prepared by sol–gel technique 232–234 (1998) 162
Gusev, E.A., see Manichev, V.M. 232–234 (1998) 539

Hafner, J., see Seifert-Lorenz, K. 232–234 (1998) 198
Hannon, A.C., J. M. Parker and B. Vessal, Neutron diffraction analysis of the atomic short range order in lead gallate glasses 232–234 (1998) 51
Hannon, A.C., see Bent, J.F. 232–234 (1998) 300
Hannon, A.C., see Hibble, S.J. 232–234 (1998) 434
Hannon, A.C., see Hoppe, U. 232–234 (1998) 44
Haselhoff, M., see Weber, H.-J. 232–234 (1998) 708
Herms, G., J. Sakowski, W. Gerike, U. Hoppe and D. Stachel, Short-range and medium-range order in solid and molten metaphosphate glasses 232–234 (1998) 427
Hibble, S.J., R.I. Walton, D.M. Pickup and A.C. Hannon, Amorphous MoS_3: clusters or chains? The structural evidence 232–234 (1998) 434
Hirsch, O., see Glock, K. 232–234 (1998) 113
Hofmeister, H., P. Ködderitzsch and J. Dutta, Structure of nanometersized silicon particles prepared by various gas phase processes 232–234 (1998) 182
Hokari, Y., see Fukunaga, T. 232–234 (1998) 465
Holland, D., see Bent, J.F. 232–234 (1998) 300
Holland, D., see Hussin, R. 232–234 (1998) 440
Holland, D., Y. Iqbal, P. James and B. Lee, Early stages of crystallisation of lithium disilicate glasses containing P_2O_5 – An NMR study 232–234 (1998) 140
Holland-Moritz, D., see Jacobs, G. 232–234 (1998) 396
Hoppe, U., R. Kranold, D. Stachel, A. Barz and A.C. Hannon, A neutron and X-ray diffraction study of the structure of the LaP_3O_9 glass 232–234 (1998) 44
Hoppe, U., see Herms, G. 232–234 (1998) 427
Huhn, G., see Böhönyey, A. 232–234 (1998) 490
Hussin, R., D. Holland and R. Dupree, Does six-coordinate germanium exist in Na_2O–GeO_{rm2} glasses? Oxygen-17 nuclear magnetic resonance measurements 232–234 (1998) 440
Hwu, Y.K., see Lin, C.K. 232–234 (1998) 520
Hyla, M., J. Filipecki, Z. Mandecki and R.I. Mervinskii, Positron annihilation and diffraction studies of the photopolymers based on the acrylate oligomers 232–234 (1998) 446

Ibanez, A., see Bychkov, E. 232–234 (1998) 314
Inamura, Y., see Otomo, T. 232–234 (1998) 613
Inoue, K., see Matsuda, O. 232–234 (1998) 554
Inoue, K., see Wang, Y. 232–234 (1998) 702
Iqbal, Y., see Holland, D. 232–234 (1998) 140
Ishmaev, S.N., see Syrykh, G.F. 232–234 (1998) 671
Itakura, N., see Tatsumisago, M. 232–234 (1998) 267
Ivanova, Z.G., V.S. Vassilev, S.V. Boycheva and N. Kirov, Topological transition and rigidity percolation in Ge–Se(S)–Cd glasses 232–234 (1998) 274
Iwabuchi, S., see Usuki, T. 232–234 (1998) 688
Iyetomi, H., see Sato, T. 232–234 (1998) 574

Jäger, C., see Glock, K. 232–234 (1998) 113
Jacobs, G., I. Egry, D. Holland-Moritz and D. Platzek, Short-range order in undercooled liquid metals 232–234 (1998) 396
Jakubczyk, E., Z. Mandecki and M. Jakubczyk, Structural changes of annealed metallic glass $Co_{78}Si_9B_{13}$ 232–234 (1998) 453
Jakubczyk, M., see Jakubczyk, E. 232–234 (1998) 453
James, P., see Holland, D. 232–234 (1998) 140
Janot, C., and J. Patera, Simple physical generation of aperiodic structures 232–234 (1998) 234
Jones, P.L., see Nasu, T. 232–234 (1998) 594
J.D. Val, J., and J. Colmenero, Study of interchain structural correlations in glassy polymers by X-ray diffraction 232–234 (1998) 377
Jullien, R., P. Jund, D. Caprion and J.-F. Sadoc, Numerical investigation of frustration in glassy systems 232–234 (1998) 119
Jullien, R., see Caprion, D. 232–234 (1998) 459
Jullien, R., see Thouy, R. 232–234 (1998) 674
Jund, P., see Caprion, D. 232–234 (1998) 459
Jund, P., see Jullien, R. 232–234 (1998) 119

Kajikawa, S., see Fukunaga, T. 232–234 (1998) 465
Kakinuma, F., T. Fukunaga and K. Suzuki, Structural study of liquid Te–I mixtures 232–234 (1998) 470
Kameda, Y., see Abe, K. 232–234 (1998) 682
Kameda, Y., see Usuki, T. 232–234 (1998) 688
Kamiyama, T., and K. Suzuki, A SAXS study of the ceramization process of Si–C organic precursor 232–234 (1998) 476
Karim, M.M.A., see Bent, J.F. 232–234 (1998) 300
Katayama, Y., K. Tsuji, H. Oyanagi and O. Shimomura, Extended X-ray absorption fine structure study on liquid selenium under pressure 232–234 (1998) 93
Kawakita, Y., R. Matsubara, H. Nakashima and S. Takeda, Structure of liquid In–Te mixtures 232–234 (1998) 483
Kawamura, J., see Suzuki, K. 232–234 (1998) 278
Kerns, L., M.C. Weinberg, S. Myers and R. Assink, Al coordination in sol–gel and conventional calcium aluminate glasses 232–234 (1998) 86
Kirov, N., see Ivanova, Z.G. 232–234 (1998) 274
Kiss, L.F., see Böhönyey, A. 232–234 (1998) 490
Klinger, M. High-pressure phenomena in glasses: The role of soft atomic configurations 232–234 (1998) 257
Kobourova, P., see Bersani, D. 232–234 (1998) 293
Ködderitzsch, P., see Hofmeister, H. 232–234 (1998) 182
Kolobov, A.V., H. Oyanagi, A. Roy and K. Tanaka, A nanometer scale mechanism for the reversible photostructural change in amorphous chalcogenides 232–234 (1998) 80
Konno, T.J., see Peng, D.L. 232–234 (1998) 169
Kowada, Y., H. Adachi, M. Tatsumisago and T. Minami, Electronic states of Ag ions in AgI-based superionic conducting glasses 232–234 (1998) 497
Kranold, R., G. Walter, U. Lembke, T. Rieker and D. Stachel, The intermediate range order of metaphosphate glasses by X-ray diffraction 232–234 (1998) 502
Kranold, R., see Hoppe, U. 232–234 (1998) 44
Krishna, R.M., J.-J. André, R.P. Pant and V.P. Seth, Electron paramagnetic resonance and optical absorption spectra of Cu^{2+} ions in alkali barium chlorophosphate glasses 232–234 (1998) 509
Kuzmin, A., see Rocca, F. 232–234 (1998) 581

Lai, A., see Casu, M. 232–234 (1998) 329
Lamparter, P., see Dürr, J. 232–234 (1998) 155
Ledru, J., J.M. Saiter, G. Saffarini and S. Benazeth, An EXAFS investigation of the local order around indium in Ge–Se–In glasses 232–234 (1998) 634
Lee, B., see Holland, D. 232–234 (1998) 140
Lee, P.Y., see Lin, C.K. 232–234 (1998) 520
Lehmann, A.G., M. Bionducci and F. Buffa, Structural modifications induced in wurtzite-CdSe by high energy milling 232–234 (1998) 421
Lembke, U., see Kranold, R. 232–234 (1998) 502
Leone, M., M. Cannas and F.M. Gelardi, Local dynamic properties of vitreous silica probed by photoluminescence spectroscopy in the temperature range 300–4.5 K 232–234 (1998) 514
Lezal, D., see Loeffler, P. 232–234 (1998) 526
Licheri, G., see Balerna, A. 232–234 (1998) 607
Lin, C.K., P.Y. Lee, J.L. Yang, C.Y. Tung, N.F. Cheng and Y.K. Hwu, EXAFS studies of amorphous $Fe_{50}Ta_{50}$ powders during mechanical alloying 232–234 (1998) 520
Liotta, L., see Deganello, G. 232–234 (1998) 547

Loeffler, P., T. Schwarz, H. Sautter and D. Lezal, Structural changes of Ge-GaS bulk glasses induced by UV exposure 232–234 (1998) 526
Longo, A., see Deganello, G. 232–234 (1998) 547
Loong, C.-K., see Suzuya, K. 232–234 (1998) 650
Lopez, T., see Bersani, D. 232–234 (1998) 175
Lottici, P.P., see Bersani, D. 232–234 (1998) 175
Lottici, P.P., see Bersani, D. 232–234 (1998) 293
Lovas, A., see Böhönyey, A. 232–234 (1998) 490
Lozzi, L., see Stievano, L. 232–234 (1998) 644

Magistris, A., see Mustarelli, P. 232–234 (1998) 532
Mandecki, Z., see Hyla, M. 232–234 (1998) 446
Mandecki, Z., see Jakubczyk, E. 232–234 (1998) 453
Manichev, V.M., and E.A. Gusev, Theory of vibrational excitations in metallic glasses 232–234 (1998) 539
Marincola, F.C., see Casu, M. 232–234 (1998) 329
Martin, S.W., see Suzuya, K. 232–234 (1998) 650
Martorana, A., see Deganello, G. 232–234 (1998) 547
Maruyama, K., see Sato, T. 232–234 (1998) 574
Massiot, D., see Fayon, F. 232–234 (1998) 403
Matsubara, R., see Kawakita, Y. 232–234 (1998) 483
Matsuda, O., H. Takeuchi, Y. Wang, K. Inoue and K. Murase, Structural changes during photo-induced and thermal crystallization processes in evaporated amorphous $GeSe_2$ films by Raman scattering 232–234 (1998) 554
Matsuda, O., see Wang, Y. 232–234 (1998) 702
Matsuo, T., see Wang, Y. 232–234 (1998) 702
Mazzoldi, P., see D'Acapito, F. 232–234 (1998) 364
Mei, A., see Ennas, G. 232–234 (1998) 587
Melnichenko, I.M., see Gurin, V.S. 232–234 (1998) 162
Mendelev, M.I., Computer simulation of Ag–In liquid alloys structure and self-diffusion coefficient calculations 232–234 (1998) 560
Meneghini, C., see Balerna, A. 232–234 (1998) 607
Meneghini, C., see Mobilio, S. 232–234 (1998) 25
Mervinskii, R.I., see Hyla, M. 232–234 (1998) 446
Micoulaut, M., Local structure and glass transition temperature in binary glasses 232–234 (1998) 567
Millán, M., see Conde, C.F. 232–234 (1998) 346
Minami, T., see Kowada, Y. 232–234 (1998) 497
Minami, T., see Tatsumisago, M. 232–234 (1998) 267
Misawa, M., see Sato, T. 232–234 (1998) 574
Mizutani, U., see Fukunaga, T. 232–234 (1998) 416
Mizutani, U., see Fukunaga, T. 232–234 (1998) 465
Mobilio, S., and C. Meneghini, Synchrotron radiation in the study of amorphous materials 232–234 (1998) 25
Mobilio, S., see D'Acapito, F. 232–234 (1998) 364
Monagheddu, M., see Delogu, F. 232–234 (1998) 18
Monagheddu, M., see Delogu, F. 232–234 (1998) 383
Monti, F., see Rocca, F. 232–234 (1998) 581
Morrison, G., see Borrego, J.M. 232–234 (1998) 352
Mountjoy, G., R. Anderson, D.T. Bowron and R.J. Newport, Reverse Monte Carlo modelling of Eu and Tb metaphosphate glasses 232–234 (1998) 227
Mountjoy, G., see Anderson, R. 232–234 (1998) 286
Mountjoy, G., see Anderson, R. 232–234 (1998) 72
Mulas, G., see Delogu, F. 232–234 (1998) 383
Murase, K., see Matsuda, O. 232–234 (1998) 554
Murase, K., see Wang, Y. 232–234 (1998) 702
Musinu, A., see Ennas, G. 232–234 (1998) 587
Musinu, A., see Casu, M. 232–234 (1998) 329
Mustarelli, P., C. Tomasi, A. Magistris and M. Cutroni, Ion dynamics and devitrification in $0.75AgI–0.25Ag_2MoO_4$ fast ion conducting glass: an XRD, DSC and ^{109}Ag NMR study 232–234 (1998) 532
Myers, S., see Kerns, L. 232–234 (1998) 86

Nagano, K., see Fukunaga, T. 232–234 (1998) 416
Nakashima, H., see Kawakita, Y. 232–234 (1998) 483
Naslund, R.A., see Nasu, T. 232–234 (1998) 594
Nasu, T., Y.S. Cho, R.A. Naslund, P.L. Jones and A.L. Greer, A positron annihilation study of the evolution of amorphization in Nb_3Sn by mechanical milling 232–234 (1998) 594
Naumis, G.G., Modelling of growth and agglomeration processes leading to various non-crystalline materials 232–234 (1998) 600
Navarra, G., see Balerna, A. 232–234 (1998) 607
Newport, R.J., see Anderson, R. 232–234 (1998) 72
Newport, R.J., see Anderson, R. 232–234 (1998) 286
Newport, R.J., see Mountjoy, G. 232–234 (1998) 227
Newport, R.J., see Walters, J.K. 232–234 (1998) 694
Nietubyć, R., see Swilem, Y. 232–234 (1998) 665

Ossi, P.M., Vitrification processes under energetic ion bombardment 232–234 (1998) 219
Otomo, T., M. Arai, Y. Inamura, J.-B. Suck, S.M. Bennington and K. Suzuki, Observation of collective excitations in the amorphous alloy $Ni_{67}Zr_{33}$ 232–234 (1998) 613
Oyanagi, H., see Katayama, Y. 232–234 (1998) 93
Oyanagi, H., see Kolobov, A.V. 232–234 (1998) 80

Pakula, T., and L. Červinka, Modeling of medium-range order in glasses 232–234 (1998) 619
Paluch, M., Z. Dendzik and Z. Gbursski, On the parameters of the Dixon–Nagel scaling procedure 232–234 (1998) 390
Pant, R.P., see Krishna, R.M. 232–234 (1998) 509
Parker, J.M., see Hannon, A.C. 232–234 (1998) 51
Paschina, G., see Corrias, A. 232–234 (1998) 358
Pasquini, L., see Bonetti, E. 232–234 (1998) 239

Patera, J., see Janot, C. 232–234 (1998) 234
Peng, D.L., T.J. Konno, K. Sumiyama and K. Suzuki, Structure of Fe–Cr–N nanocrystalline films with the perpendicular magnetic anisotropy 232–234 (1998) 169
Piccaluga, G., see Casu, M. 232–234 (1998) 329
Piccaluga, G., see Ennas, G. 232–234 (1998) 587
Pickup, D.M., see Hibble, S.J. 232–234 (1998) 434
Pinna, G., see Ennas, G. 232–234 (1998) 587
Platzek, D., see Jacobs, G. 232–234 (1998) 396
Poddenezhny, E.N., see Gurin, V.S. 232–234 (1998) 162
Polizzi, S., P. Riello, G. Fagherazzi and N.F. Borrelli, The microstructure of borosilicate glasses containing elongated and oriented phase-separated crystalline particles 232–234 (1998) 147
Pratesi, G., and J.-B. Suck, Collective atomic dynamics of liquids with partially covalent binding forces 232–234 (1998) 252
Price, D.L., see Suzuya, K. 232–234 (1998) 650
Prokopenko, V.B., see Gurin, V.S. 232–234 (1998) 162

Ramey, J.O., see Sales, B.C. 232–234 (1998) 107
Raty, J.Y., J.P. Gaspard, R. Céolin and R. Bellissent, Evolution of the Peierls distortion in liquid As_xSb_{1-x} compounds 232–234 (1998) 59
Regnard, J.R., see D'Acapito, F. 232–234 (1998) 364
Rehak, P., see Glock, K. 232–234 (1998) 113
Rieker, T., see Kranold, R. 232–234 (1998) 502
Riello, P., see Polizzi, S. 232–234 (1998) 147
Rizzi, P., see Antonione, C. 232–234 (1998) 127
Rocca, F., G. Dalba, R. Grisenti, M. Bettinelli, F. Monti and A. Kuzmin, Extended X-ray absorption fine structure measurements of the local environment of Pr^{3+} ions in silica xerogels and zinc borate glasses 232–234 (1998) 581
Rocca, F., see Červinka, L. 232–234 (1998) 627
Rocca, F., see Dalba, G. 232–234 (1998) 370
Roy, A., see Kolobov, A.V. 232–234 (1998) 80

Sadigh, B., see Dzugutov, M. 232–234 (1998) 20
Sadoc, J.-F., see Jullien, R. 232–234 (1998) 119
Saffarini, G., see Ledru, J. 232–234 (1998) 634
Saiter, J.M., see Ledru, J. 232–234 (1998) 634
Sakowski, J., see Herms, G. 232–234 (1998) 427
Sakurai, M., see Abe, K. 232–234 (1998) 682
Sakurai, M., see Usuki, T. 232–234 (1998) 688
Sales, B.C., L.A. Boatner and J.O. Ramey, Intermediate-range order in simple metal-phosphate glasses: The effect of metal cations on the phosphate-anion distribution 232–234 (1998) 107
Sampaolesi, E., see Bonetti, E. 232–234 (1998) 239
Santos, L.F., and R.M. Almeida, Short and medium range order in zinc halide based glasses 232–234 (1998) 638
Santos, L.F., see Almeida, R.M. 232–234 (1998) 65
Santucci, S., see Stievano, L. 232–234 (1998) 644
Sato, T., M. Misawa, O. Yamashita, K. Yoshida, H. Ebata, K. Maruyama and H. Iyetomi, Network structure of borate and germanate glasses studied by means of pulsed neutron scattering 232–234 (1998) 574
Saunders, G.A., see Anderson, R. 232–234 (1998) 286
Sautter, H., see Loeffler, P. 232–234 (1998) 526
Savini, L., see Bonetti, E. 232–234 (1998) 239
Scheerschmidt, K., see Timpel, D. 232–234 (1998) 245
Schiffini, L., see Delogu, F. 232–234 (1998) 383
Schwarz, T., see Loeffler, P. 232–234 (1998) 526
Seifert-Lorenz, K., and J. Hafner, Ab initio studies of local order and electronic properties in molten Zintl-alloys: K–Sb as a case study 232–234 (1998) 198
Seth, V.P., see Krishna, R.M. 232–234 (1998) 509
Shibata, K., see Suzuki, K. 232–234 (1998) 278
Shibata, T., see Yamaguchi, M. 232–234 (1998) 715
Shimomura, O., see Katayama, Y. 232–234 (1998) 93
Sietsma, J., see van Ee, L.D. 232–234 (1998) 212
Sinclair, R.N., A.C. Wright, B. Bachra, Y.B. Dimitriev, V.V. Dimitrov and M.G. Arnaudov, The structure of vitreous V_2O_5–TeO_2 232–234 (1998) 38
Ślawska-Waniewska, A., see Swilem, Y. 232–234 (1998) 665
Sirigu, P., see Corrias, A. 232–234 (1998) 358
Smith, M.E., see Anderson, R. 232–234 (1998) 72
Sobczak, E., see Swilem, Y. 232–234 (1998) 665
Solinas, S., see Ennas, G. 232–234 (1998) 587
Solovyev, V.A. 232–234 (1998) 18
Soper, A.K., see Zhao, J. 232–234 (1998) 721
Spano, G., see Concas, G. 232–234 (1998) 341
Speghini, A., see Concas, G. 232–234 (1998) 341
Spriano, S., see Antonione, C. 232–234 (1998) 127
Stachel, D., see Herms, G. 232–234 (1998) 427
Stachel, D., see Hoppe, U. 232–234 (1998) 44
Stachel, D., see Kranold, R. 232–234 (1998) 502
Steeb, S., see Dürr, J. 232–234 (1998) 155
Stievano, L., S. Santucci, L. Lozzi, S. Calogero and F.E. Wagner, ^{197}Au Mössbauer study of gold particles obtained by evaporation of metallic gold on Mylar 232–234 (1998) 644
Suck, J.-B., see Otomo, T. 232–234 (1998) 613
Suck, J.-B., see Pratesi, G. 232–234 (1998) 252
Sumiyama, K., see Peng, D.L. 232–234 (1998) 169
Suzuki, K., K. Shibata, T. Tsurui and J. Kawamura, Hierarchy of dynamic structure of super-ionic conducting glass CuI–Cu_2MoO_4 232–234 (1998) 278
Suzuki, K., see Kakinuma, F. 232–234 (1998) 470
Suzuki, K., see Kamiyama, T. 232–234 (1998) 476
Suzuki, K., see Otomo, T. 232–234 (1998) 613
Suzuki, K., see Peng, D.L. 232–234 (1998) 169

Suzuya, K., D.L. Price, C.-K. Loong and S.W. Martin, Structure of vitreous P_2O_5 and alkali phosphate glasses 232–234 (1998) 650
Swenson, J., and L. Börjesson, Intermediate-range structure and conductivity of fast ion-conducting borate glasses 232–234 (1998) 658
Swilem, Y., E. Sobczak, R. Nietubyć, A. Ślawska-Waniewska and M. Tischer, Amorphous and nanocrystalline $Fe_{85}Zr_7B_6Cu_2$ alloys 232–234 (1998) 665
Syrykh, G.F., M.G. Zemlyanov and S.N. Ishmaev, A neutron inelastic scattering study of $Cu_{64}Zr_{36}$ and $Ni_{64}Zr_{36}$ metallic glasses 232–234 (1998) 671

Takeda, S., see Kawakita, Y. 232–234 (1998) 483
Takeuchi, H., see Matsuda, O. 232–234 (1998) 554
Tanaka, K., see Kolobov, A.V. 232–234 (1998) 80
Tanaka, K., see Yamaguchi, M. 232–234 (1998) 715
Taraskin, S.N., and S.R. Elliott, Nature of the low-frequency vibrational excitations in vitreous silica 232–234 (1998) 205
Tatsumisago, M., N. Itakura and T. Minami, Microstructure of AgI–Ag_2O–B_2O_3 fast ion conducting glasses with large amounts of AgI 232–234 (1998) 267
Tatsumisago, M., see Kowada, Y. 232–234 (1998) 497
Thijsse, B.J., see van Ee, L.D. 232–234 (1998) 212
Thomas, B., see Glock, K. 232–234 (1998) 113
Thouy, R., R. Jullien and C. Benoit, Density of vibrational states of fractal aggregates: scalar interactions 232–234 (1998) 674
Tichý, L., see Červinka, L. 232–234 (1998) 335
Timpel, D., and K. Scheerschmidt, Molecular dynamics investigations of silver diffusion in glass 232–234 (1998) 245
Tischer, M., see Swilem, Y. 232–234 (1998) 665
Tomasi, C., see Mustarelli, P. 232–234 (1998) 532
Tsuji, K., see Katayama, Y. 232–234 (1998) 93
Tsurui, T., see Suzuki, K. 232–234 (1998) 278
Tung, C.Y., see Lin, C.K. 232–234 (1998) 520

Uemura, O., see Abe, K. 232–234 (1998) 682
Uemura, O., see Usuki, T. 232–234 (1998) 688
Usuki, T., O. Uemura, S. Iwabuchi, Y. Kameda and M. Sakurai, Short-range order in Ge–As–S–I glasses 232–234 (1998) 688
Usuki, T., see Abe, K. 232–234 (1998) 682

Val, J.J.D., Study of interchain structural correlations in glassy polymers by X-ray diffraction 232–234 (1998) 377
Valente, M.A., see Ferreira da Silva, M.G. 232–234 (1998) 409
van Ee, L.D., B.J. Thijsse and J. Sietsma, Temperature dependence of diffusion and structural defects in a molecular-dynamics model of amorphous $Ni_{81}B_{19}$ 232–234 (1998) 212
Vasconcelos, H.C., see Almeida, R.M. 232–234 (1998) 65
Vassilev, V.S., see Ivanova, Z.G. 232–234 (1998) 274
Vessal, B., see C. Hannon, A. 232–234 (1998) 51

Wagner, F.E., see Stievano, L. 232–234 (1998) 644
Wakayama, H., see Fukunaga, T. 232–234 (1998) 416
Walter, G., see Kranold, R. 232–234 (1998) 502
Walters, J.K., K.W.R. Gilkes, J.D. Wicks and R.J. Newport, A new model for tetrahedral amorphous carbon (ta-C) 232–234 (1998) 694
Walton, R.I., see Hibble, S.J. 232–234 (1998) 434
Wang, Y., O. Matsuda, K. Inoue, O. Yamamuro, T. Matsuo and K. Murase, A Raman scattering investigation of the structure of glassy and liquid Ge_xSe_{1-x} 232–234 (1998) 702
Wang, Y., see Matsuda, O. 232–234 (1998) 554
Weber, H.-J., and M. Haselhoff, Determination of structural properties of a K-germanate glass by optical measurements and a polarization optical test on nanocrystallinity 232–234 (1998) 708
Weinberg, M.C., see Kerns, L. 232–234 (1998) 86
Wicks, J.D., see Walters, J.K. 232–234 (1998) 694
Winter, R., see Biermann, Chr. 232–234 (1998) 309
Wright, A.C., see Sinclair, R.N. 232–234 (1998) 38

Yamaguchi, M., T. Shibata and K. Tanaka, A resonance Raman scattering study of localized states in Ge–S glasses 232–234 (1998) 715
Yamamuro, O., see Wang, Y. 232–234 (1998) 702
Yamashita, O., see Sato, T. 232–234 (1998) 574
Yanev, Y., see Deganello, G. 232–234 (1998) 547
Yang, J.L., see Lin, C.K. 232–234 (1998) 520
Yoshida, K., see Sato, T. 232–234 (1998) 574
Yumashev, K.V., see Gurin, V.S. 232–234 (1998) 162

Zemlyanov, M.G., see Syrykh, G.F. 232–234 (1998) 671
Zhao, J., P.H. Gaskell, M.M. Cluckie and A.K. Soper, A neutron diffraction, isotopic substitution study of the structure of $Li_2O{\cdot}2SiO_2$ glass 232–234 (1998) 721
Zotov, N., see Deganello, G. 232–234 (1998) 547

ELSEVIER

Journal of Non-Crystalline Solids 232–234 (1998) 736–747

JOURNAL OF
NON-CRYSTALLINE SOLIDS

Subject Index

Acoustic Properties
Collective Modes, Metallic Glasses, 232–234 (1998) 539
Glasses, Molecular Dynamics Simulation, Phonons, Silica, 232–234 (1998) 205

Alkali Silicate Glasses
Crystallization, Ion Implantation, 232–234 (1998) 140
Isotope Substitution, Medium-Range Order, Neutron Diffraction, Structure, 232–234 (1998) 721

Alloys
Annealing Effects, Mechanical Relaxation, Structural Relaxation, 232–234 (1998) 239

Amorphous Alloys
Chalcogenide Glasses, Mechanical Amorphization, Neutron Time of Flight Diffraction, Structure, 232–234 (1998) 465
Density of States, Dynamical Properties, Glasses Containing Transition Metal Ions, Inelastic Neutron Scattering, 232–234 (1998) 671
Dynamical Structure, Neutron Inelastic Scattering, Phonons, Topological Short-Range Order, 232–234 (1998) 613
EXAFS, Nanocrystalline Materials, XANES, 232–234 (1998) 665
Kinetics, Mechanical Amorphization, Solid State Reaction, X-ray Diffraction, 232–234 (1998) 383

Amorphous Carbon
Reverse Monte Carlo, Structure, 232–234 (1998) 694

Amorphous Polymers
Positron Annihilation, X-ray Diffraction, 232–234 (1998) 446

Amorphous Semiconductors
Chalcogenide Glasses, Raman Spectra, 232–234 (1998) 715

Amorphous Solids
Anomalous X-ray Scattering, EXAFS, Phosphates, 232–234 (1998) 607
Anomalous X-ray Scattering, Glasses, X-ray Absorption, X-ray Diffraction, 232–234 (1998) 25
Chalcogenides, Modelling, Neutron Diffraction, Structure, 232–234 (1998) 434
Diffusion, Experimental Techniques, Hydrogen Effects, Phase Separation, 232–234 (1998) 133

Annealing Effects
Alloys, Mechanical Relaxation, Structural Relaxation, 232–234 (1998) 239
Glass Ceramics, Medium-Range Order, Silicon Carbide Fibers, Small Angle X-ray Scattering, 232–234 (1998) 476

Anomalous X-ray Scattering
Amorphous Solids, EXAFS, Phosphates, 232–234 (1998) 607
Amorphous Solids, Glasses, X-ray Absorption, X-ray Diffraction, 232–234 (1998) 25

Borates
Conductivity, Glasses, Reverse Monte Carlo, Structure, 232–234 (1998) 658
First Sharp Diffraction Peak, Ionic Conductivity, Medium-Range Order, X-ray Diffraction, 232–234 (1998) 627
Sol–Gel Processes, EXAFS, Rare Earth Ions, X-ray Absorption, 232–234 (1998) 581

Calorimetry
Crystallization, Magnetic Properties, Metallic Glasses, 232–234 (1998) 346

Carbon
Mechanical Amorphization, Nanocrystalline Materials, Neutron Time of Flight Diffraction, Structure, 232–234 (1998) 416

Ceramics
Modelling, Neutron Diffraction, Structure, X-ray Diffraction, 232–234 (1998) 155

Chalcogenide Glasses
Amorphous Alloys, Mechanical Amorphization, Neutron Time of Flight Diffraction, Structure, 232–234 (1998) 465
Amorphous Semiconductors, Raman Spectra, 232–234 (1998) 715

Chemical Short-Range Order, Diffusion, EXAFS, Local Environment, 232–234 (1998) 314
Crystallization, Photoinduced Effects, Structure, Vapour Phase Deposition, 232–234 (1998) 554
Densification, Dynamical Properties, Electronic Conductivity, Glasses, 232–234 (1998) 257
EXAFS, 232–234 (1998) 634
EXAFS, Photoinduced Effects, Raman Spectra, 232–234 (1998) 80
Glass Formation, Medium-Range Order, Rigidity Percolation, Topology, 232–234 (1998) 274
Glass Transition, Raman Spectra, Structure, 232–234 (1998) 702
Medium-Range Order, Short-Range Order, Structure, X-ray Diffraction, 232–234 (1998) 335
Phase Separation, Structure, 232–234 (1998) 526

Chalcogenides
Amorphous Solids, Modelling, Neutron Diffraction, Structure, 232–234 (1998) 434
EXAFS, Liquid Alloys, Neutron Diffraction, Structure, 232–234 (1998) 482
Sol–Gel Processes, Composites, Nanocrystalline Materials, Optical Properties, 232–234 (1998) 162

Chalcohalides
EXAFS, Raman Spectra, Short-Range Order, X-ray Diffraction, 232–234 (1998) 682
EXAFS, Raman Spectra, Short-Range Order, X-ray Diffraction, 232–234 (1998) 688
Liquid Semiconductors, Neutron Time of Flight Diffraction, 232–234 (1998) 470

Chemical Modification
Glass Transition, Structure, 232–234 (1998) 567

Chemical Short-Range Order
Chalcogenide Glasses, Diffusion, EXAFS, Local Environment, 232–234 (1998) 314
Glasses Containing Transition Metal Ions, Mössbauer Effect, Oxides, Phosphates, 232–234 (1998) 341

Chromatography
Medium-Range Order, Phosphates, Structure, 232–234 (1998) 107

Clusters
Computer Simulation, Medium-Range Order, Modelling, Structure, 232–234 (1998) 619
Coordination, Density of States, Dynamical Properties, Fabrication, 232–234 (1998) 674
Disordered Crystals, Quasicrystals, 232–234 (1998) 234
Mössbauer Effect, 232–234 (1998) 644

Collective Modes
Acoustic Properties, Metallic Glasses, 232–234 (1998) 539
Liquid Metals, Neutron Inelastic Scattering, 232–234 (1998) 252

Composites
Electrical Properties, Electron Microscopy, Solid State Reaction, X-ray Diffraction, 232–234 (1998) 358
Electron Microscopy, Nanocrystalline Materials, Sol–Gel Method, X-ray Diffraction, 232–234 (1998) 587
Glasses, Ionic Conductivity, Microstructure, Phase Transition, 232–234 (1998) 267
Nanocrystalline Materials, Nuclear Magnetic Resonance, Sol–Gel Method, 232–234 (1998) 329
Sol–Gel Processes, Chalcogenides, Nanocrystalline Materials, Optical Properties, 232–234 (1998) 162

Computer Simulation
Clusters, Medium-Range Order, Modelling, Structure, 232–234 (1998) 619
Diffusion, Liquid Alloys, Molecular Dynamics, X-ray Diffraction, 232–234 (1998) 560
Glasses, Medium-Range Order, Modelling, Structure, 232–234 (1998) 1
Liquids, Medium-Range Order, Metallic Glasses, 232–234 (1998) 20
Transport Properties–Solids, Glasses, 232–234 (1998) 188

Conductivity
Borates, Glasses, Reverse Monte Carlo, Structure, 232–234 (1998) 658

Coordination
Clusters, Density of States, Dynamical Properties, Fabrication, 232–234 (1998) 674
Nuclear Magnetic Resonance, Sol–Gel Method, Water in Glass, 232–234 (1998) 86

Covalent Glasses
Local Environment, Neutron Diffraction, Short-Range Order, Tetrahedral Materials, 232–234 (1998) 51
Local Environment, Neutron Diffraction, Silicates, Tetrahedral Materials, 232–234 (1998) 300

Crystal to Amorphous Phase Transformation
Defects, Intermetallic Compounds, Mechanical Amorphization, Positron Annihilation, 232–234 (1998) 594
Modelling, Nucleation, Radiation Effects, Thin Films, 232–234 (1998) 219

Crystallization
Alkali Silicate Glasses, Ion Implantation, 232–234 (1998) 140
Calorimetry, Magnetic Properties, Metallic Glasses, 232–234 (1998) 346
Chalcogenide Glasses, Photoinduced Effects, Structure, Vapour Phase Deposition, 232–234 (1998) 554
Electrical Properties and Relaxation, Metallic Glasses, X-ray Diffraction, 232–234 (1998) 453
EXAFS, Electron Microscopy, Metallic Glasses, XANES, 232–234 (1998) 352

Defects
Crystal to Amorphous Phase Transformation, Intermetallic Compounds, Mechanical Amorphization, Positron Annihilation, 232–234 (1998) 594
Diffusion, Metallic Glasses, Molecular Dynamics Simulation, Thermal Properties, 232–234 (1998) 212

Densification
Chalcogenide Glasses, Dynamical Properties, Electronic Conductivity, Glasses, 232–234 (1998) 257

Density of States
Amorphous Alloys, Dynamical Properties, Glasses Containing Transition Metal Ions, Inelastic Neutron Scattering, 232–234 (1998) 671
Clusters, Coordination, Dynamical Properties, Fabrication, 232–234 (1998) 674

Dielectric Relaxation
Glass Transition, Glass-forming Viscous Liquids, 232–234 (1998) 290

Differential Scanning Calorimetry
Dynamical Properties, Metastability, Molybdates, Nuclear Magnetic Resonance, 232–234 (1998) 532
Transport Properties–Solids, Metallic Glasses, Structural Relaxation, Two-Level System, 232–234 (1998) 490

Diffusion
Amorphous Solids, Experimental Techniques, Hydrogen Effects, Phase Separation, 232–234 (1998) 133
Chalcogenide Glasses, Chemical Short-Range Order, EXAFS, Local Environment, 232–234 (1998) 314
Computer Simulation, Liquid Alloys, Molecular Dynamics, X-ray Diffraction, 232–234 (1998) 560
Defects, Metallic Glasses, Molecular Dynamics Simulation, Thermal Properties, 232–234 (1998) 212
Glass Transition, Glasses, Ion Exchange, Molecular Dynamics Simulation, 232–234 (1998) 245

Disordered Crystals
Clusters, Quasicrystals, 232–234 (1998) 234
Phase Transition, Structure, Tetrahedral Materials, X-ray Diffraction, 232–234 (1998) 421

Doping
Rare Earth Ions, Spin coating, XANES, XPS, 232–234 (1998) 65

Dynamical Properties
Amorphous Alloys, Density of States, Glasses Containing Transition Metal Ions, Inelastic Neutron Scattering, 232–234 (1998) 671
Chalcogenide Glasses, Densification, Electronic Conductivity, Glasses, 232–234 (1998) 257
Clusters, Coordination, Density of States, Fabrication, 232–234 (1998) 674
Differential Scanning Calorimetry, Metastability, Molybdates, Nuclear Magnetic Resonance, 232–234 (1998) 532
Fluorescence Spectra, Glasses, Silica, 232–234 (1998) 514
Glasses, Molecular Dynamics Simulation, Phonons, Quenching, 232–234 (1998) 459
Inelastic Neutron Scattering, Molecular Liquids, Raman Spectra, Structure, 232–234 (1998) 309

Dynamical Structure
Amorphous Alloys, Neutron Inelastic Scattering, Phonons, Topological Short-Range Order, 232–234 (1998) 613

Electrical Properties and Relaxation
Crystallization, Metallic Glasses, X-ray Diffraction, 232–234 (1998) 453

Electrical Properties
Composites, Electron Microscopy, Solid State Reaction, X-ray Diffraction, 232–234 (1998) 358

Electron Microscopy
Composites, Electrical Properties, Solid State Reaction, X-ray Diffraction, 232–234 (1998) 358
Composites, Nanocrystalline Materials, Sol–Gel Method, X-ray Diffraction, 232–234 (1998) 587
Crystallization, EXAFS, Metallic Glasses, XANES, 232–234 (1998) 352
Magnetic Properties, Mössbauer Effect, Nanocrystalline Materials, X-ray Diffraction, 232–234 (1998) 169
Microstructure, Nanocrystalline Materials, Particles, Silicon, 232–234 (1998) 182

Electron Spin Resonance
Glasses, Glasses Containing Transition Metal Ions, Magnetic Properties, Optical Properties, 232–234 (1998) 509
Luminescence, Radiation Effects, Silica, 232–234 (1998) 323

Electronic Conductivity
Chalcogenide Glasses, Densification, Dynamical Properties, Glasses, 232–234 (1998) 257

Electronic Structure
Glasses, Halide Glasses, Ionic Conductivity, Theory, 232–234 (1998) 497
Liquid Alloys, Molecular Dynamics Simulation, 232–234 (1998) 198

EXAFS
Amorphous Alloys, Nanocrystalline Materials, XANES, 232–234 (1998) 665
Amorphous Solids, Anomalous X-ray Scattering, Phosphates, 232–234 (1998) 607
Chalcogenide Glasses, Chemical Short-Range Order, Diffusion, Local Environment, 232–234 (1998) 314
Chalcogenide Glasses, 232–234 (1998) 634
Chalcogenide Glasses, Photoinduced Effects, Raman Spectra, 232–234 (1998) 80
Chalcogenides, Liquid Alloys, Neutron Diffraction, Structure, 232–234 (1998) 482
Chalcohalides, Raman Spectra, Short-Range Order, X-ray Diffraction, 232–234 (1998) 682
Chalcohalides, Raman Spectra, Short-Range Order, X-ray Diffraction, 232–234 (1998) 688
Crystallization, Electron Microscopy, Metallic Glasses, XANES, 232–234 (1998) 352
Glasses Containing Transition Metal Ions, Ion Implantation, XANES, 232–234 (1998) 364
Glasses, Phosphates, Rare Earth Ions, Short-Range Order, 232–234 (1998) 286
Liquid Metals, Liquid Semiconductors, Pressure Effects, Structure, 232–234 (1998) 93
Liquid Metals, Short-Range Order, Supercooled Liquids, 232–234 (1998) 396
Luminescence, Porosity, Silicon, X-ray Absorption, 232–234 (1998) 370
Short-Range Order, Silica, Sol–Gel Method, Titania, 232–234 (1998) 72
Sol–Gel Processes, Borates, Rare Earth Ions, X-ray Absorption, 232–234 (1998) 581

Experimental Techniques
Amorphous Solids, Diffusion, Hydrogen Effects, Phase Separation, 232–234 (1998) 133

Fabrication
Clusters, Coordination, Density of States, Dynamical Properties, 232–234 (1998) 674

First Sharp Diffraction Peak
Borates, Ionic Conductivity, Medium-Range Order, X-ray Diffraction, 232–234 (1998) 627

Fluorescence Spectra
Dynamical Properties, Glasses, Silica, 232–234 (1998) 514

Gels
Glass Ceramics, Magnetic Properties, 232–234 (1998) 409

Germanates
Glasses, Microstructure, Structure, 232–234 (1998) 440
Nanocrystalline Materials, Optical Properties, 232–234 (1998) 708

Germanium
Glass Transition, Glasses, 232–234 (1998) 600

Glass Ceramics
Annealing Effects, Medium-Range Order, Silicon Carbide Fibers, Small Angle X-ray Scattering, 232–234 (1998) 476
Gels, Magnetic Properties, 232–234 (1998) 409

Glass Formation
Chalcogenide Glasses, Medium-Range Order, Rigidity Percolation, Topology, 232–234 (1998) 274

Glass Transition
Chalcogenide Glasses, Raman Spectra, Structure, 232–234 (1998) 702
Chemical Modification, Structure, 232–234 (1998) 567
Dielectric Relaxation, Glass-forming Viscous Liquids, 232–234 (1998) 290
Diffusion, Glasses, Ion Exchange, Molecular Dynamics Simulation, 232–234 (1998) 245
Germanium, Glasses, 232–234 (1998) 600
Glasses, Molecular Dynamics, Quenching, Structure, 232–234 (1998) 119
Medium-Range Order, Melting, Short-Range Order, 232–234 (1998) 427

Glasses Containing Transition Metal Ions
Amorphous Alloys, Density of States, Dynamical Properties, Inelastic Neutron Scattering, 232–234 (1998) 671
Chemical Short-Range Order, Mössbauer Effect, Oxides, Phosphates, 232–234 (1998) 341
Electron Spin Resonance, Glasses, Magnetic Properties, Optical Properties, 232–234 (1998) 509
EXAFS, Ion Implantation, XANES, 232–234 (1998) 364
Ionic Conductivity, Low-Energy Excitation, Neutron Inelastic Scattering, XANES, 232–234 (1998) 278

Glasses
Acoustic Properties, Molecular Dynamics Simulation, Phonons, Silica, 232–234 (1998) 205
Amorphous Solids, Anomalous X-ray Scattering, X-ray Absorption, X-ray Diffraction, 232–234 (1998) 25
Borates, Conductivity, Reverse Monte Carlo, Structure, 232–234 (1998) 658
Chalcogenide Glasses, Densification, Dynamical Properties, Electronic Conductivity, 232–234 (1998) 257
Composites, Ionic Conductivity, Microstructure, Phase Transition, 232–234 (1998) 267
Computer Simulation, Medium-Range Order, Modelling, Structure, 232–234 (1998) 1
Diffusion, Glass Transition, Ion Exchange, Molecular Dynamics Simulation, 232–234 (1998) 245
Dynamical Properties, Fluorescence Spectra, Silica, 232–234 (1998) 514
Dynamical Properties, Molecular Dynamics Simulation, Phonons, Quenching, 232–234 (1998) 459
Electron Spin Resonance, Glasses Containing Transition Metal Ions, Magnetic Properties, Optical Properties, 232–234 (1998) 509
Electronic Structure, Halide Glasses, Ionic Conductivity, Theory, 232–234 (1998) 497
EXAFS, Phosphates, Rare Earth Ions, Short-Range Order, 232–234 (1998) 286
Germanates, Microstructure, Structure, 232–234 (1998) 440
Germanium, Glass Transition, 232–234 (1998) 600
Glass Transition, Molecular Dynamics, Quenching, Structure, 232–234 (1998) 119
Local Environment, Nuclear Magnetic Resonance, Short-Range Order, Silicates, 232–234 (1998) 403
Medium-Range Order, Nuclear Magnetic Resonance, Short-Range Order, Structure, 232–234 (1998) 113
Medium-Range Order, Phosphates, Small Angle X-ray Scattering, X-ray Diffraction, 232–234 (1998) 502
Modelling, Phosphates, Rare Earth Ions, Reverse Monte Carlo, 232–234 (1998) 227
Molecular Dynamics Simulation, Neutron Time of Flight Diffraction, Oxides, Structure, 232–234 (1998) 574
Neutron Diffraction, Phosphates, Rare Earth Ions, Reverse Monte Carlo, 232–234 (1998) 44
Raman Spectra, Tellurite Glasses, X-ray Absorption, 232–234 (1998) 293
Transport Properties – Solids, Computer Simulation, 232–234 (1998) 188

Glass-forming Viscous Liquids
Dielectric Relaxation, Glass Transition, 232–234 (1998) 290

Glassy Polymers
Medium-Range Order, X-ray Diffraction, 232–234 (1998) 377

Halide Glasses
Electronic Structure, Glasses, Ionic Conductivity, Theory, 232–234 (1998) 497
Non-oxide Glasses, Raman Spectra, Short-Range Order, 232–234 (1998) 638
Polarization, Small Angle X-ray Scattering, 232–234 (1998) 147

Hydrogen Effects
Amorphous Solids, Diffusion, Experimental Techniques, Phase Separation, 232–234 (1998) 133

Inelastic Neutron Scattering
Amorphous Alloys, Density of States, Dynamical Properties, Glasses Containing Transition Metal Ions, 232–234 (1998) 671
Dynamical Properties, Molecular Liquids, Raman Spectra, Structure, 232–234 (1998) 309

Infra-red Absorption
Medium-Range Order, Phonons, Phosphates, Structure, 232–234 (1998) 99
Natural Glasses, Small Angle X-ray Scattering, X-ray Diffraction, 232–234 (1998) 547
Neutron Diffraction, Structure, Tellurite Glasses, Vanadium Oxide, 232–234 (1998) 38

Intermetallic Compounds
Crystal to Amorphous Phase Transformation, Defects, Mechanical Amorphization, Positron Annihilation, 232–234 (1998) 594

Ion Exchange
Diffusion, Glass Transition, Glasses, Molecular Dynamics Simulation, 232–234 (1998) 245

Ion Implantation
Alkali Silicate Glasses, Crystallization, 232–234 (1998) 140
EXAFS, Glasses Containing Transition Metal Ions, XANES, 232–234 (1998) 364

Ionic Conductivity
Borates, First Sharp Diffraction Peak, Medium-Range Order, X-ray Diffraction, 232–234 (1998) 627
Composites, Glasses, Microstructure, Phase Transition, 232–234 (1998) 267
Electronic Structure, Glasses, Halide Glasses, Theory, 232–234 (1998) 497
Glasses Containing Transition Metal Ions, Low-Energy Excitation, Neutron Inelastic Scattering, XANES, 232–234 (1998) 278

Isotope Substitution
Alkali Silicate Glasses, Medium-Range Order, Neutron Diffraction, Structure, 232–234 (1998) 721

Kinetics
Amorphous Alloys, Mechanical Amorphization, Solid State Reaction, X-ray Diffraction, 232–234 (1998) 383

Liquid Alloys
Chalcogenides, EXAFS, Neutron Diffraction, Structure, 232–234 (1998) 482
Computer Simulation, Diffusion, Molecular Dynamics, X-ray Diffraction, 232–234 (1998) 560
Electronic Structure, Molecular Dynamics Simulation, 232–234 (1998) 198

Liquid Metals
Collective Modes, Neutron Inelastic Scattering, 232–234 (1998) 252
EXAFS, Liquid Semiconductors, Pressure Effects, Structure, 232–234 (1998) 93
EXAFS, Short-Range Order, Supercooled Liquids, 232–234 (1998) 396
Liquid Semiconductors, Short-Range Order, 232–234 (1998) 59

Liquid Semiconductors
Chalcohalides, Neutron Time of Flight Diffraction, 232–234 (1998) 470
EXAFS, Liquid Metals, Pressure Effects, Structure, 232–234 (1998) 93
Liquid Metals, Short-Range Order, 232–234 (1998) 59

Liquids
Computer Simulation, Medium-Range Order, Metallic Glasses, 232–234 (1998) 20

Local Environment
Chalcogenide Glasses, Chemical Short-Range Order, Diffusion, EXAFS, 232–234 (1998) 314
Covalent Glasses, Neutron Diffraction, Short-Range Order, Tetrahedral Materials, 232–234 (1998) 51
Covalent Glasses, Neutron Diffraction, Silicates, Tetrahedral Materials, 232–234 (1998) 300
Glasses, Nuclear Magnetic Resonance, Short-Range Order, Silicates, 232–234 (1998) 403

Low-Energy Excitation
Glasses Containing Transition Metal Ions, Ionic Conductivity, Neutron Inelastic Scattering, XANES, 232–234 (1998) 278

Luminescence
Electron Spin Resonance, Radiation Effects, Silica, 232–234 (1998) 323
EXAFS, Porosity, Silicon, X-ray Absorption, 232–234 (1998) 370

Mössbauer Effect
Chemical Short-Range Order, Glasses Containing Transition Metal Ions, Oxides, Phosphates, 232–234 (1998) 341
Clusters, 232–234 (1998) 644
Electron Microscopy, Magnetic Properties, Nanocrystalline Materials, X-ray Diffraction, 232–234 (1998) 169

Magnetic Properties
Calorimetry, Crystallization, Metallic Glasses, 232–234 (1998) 346
Electron Microscopy, Mössbauer Effect, Nanocrystalline Materials, X-ray Diffraction, 232–234 (1998) 169
Electron Spin Resonance, Glasses, Glasses Containing Transition Metal Ions, Optical Properties, 232–234 (1998) 509
Gels, Glass Ceramics, 232–234 (1998) 409

Mechanical Amorphization
Amorphous Alloys, Chalcogenide Glasses, Neutron Time of Flight Diffraction, Structure, 232–234 (1998) 465
Amorphous Alloys, Kinetics, Solid State Reaction, X-ray Diffraction, 232–234 (1998) 383
Carbon, Nanocrystalline Materials, Neutron Time of Flight Diffraction, Structure, 232–234 (1998) 416
Crystal to Amorphous Phase Transformation, Defects, Intermetallic Compounds, Positron Annihilation, 232–234 (1998) 594

Mechanical Relaxation
Alloys, Annealing Effects, Structural Relaxation, 232–234 (1998) 239

Medium-Range Order
Alkali Silicate Glasses, Isotope Substitution, Neutron Diffraction, Structure, 232–234 (1998) 721
Annealing Effects, Glass Ceramics, Silicon Carbide Fibers, Small Angle X-ray Scattering, 232–234 (1998) 476
Borates, First Sharp Diffraction Peak, Ionic Conductivity, X-ray Diffraction, 232–234 (1998) 627
Chalcogenide Glasses, Glass Formation, Rigidity Percolation, Topology, 232–234 (1998) 274
Chalcogenide Glasses, Short-Range Order, Structure, X-ray Diffraction, 232–234 (1998) 335
Chromatography, Phosphates, Structure, 232–234 (1998) 107
Clusters, Computer Simulation, Modelling, Structure, 232–234 (1998) 619

Computer Simulation, Glasses, Modelling, Structure, 232–234 (1998) 1
Computer Simulation, Liquids, Metallic Glasses, 232–234 (1998) 20
Glass Transition, Melting, Short-Range Order, 232–234 (1998) 427
Glasses, Nuclear Magnetic Resonance, Short-Range Order, Structure, 232–234 (1998) 113
Glasses, Phosphates, Small Angle X-ray Scattering, X-ray Diffraction, 232–234 (1998) 502
Glassy Polymers, X-ray Diffraction, 232–234 (1998) 377
Infra-red Absorption, Phonons, Phosphates, Structure, 232–234 (1998) 99
Neutron Diffraction, Phosphates, 232–234 (1998) 650
Neutron Diffraction, Phosphates, 232–234 (1998) 650

Melting
Glass Transition, Medium-Range Order, Short-Range Order, 232–234 (1998) 427

Metallic Glasses
Acoustic Properties, Collective Modes, 232–234 (1998) 539
Calorimetry, Crystallization, Magnetic Properties, 232–234 (1998) 346
Computer Simulation, Liquids, Medium-Range Order, 232–234 (1998) 20
Crystallization, Electrical Properties and Relaxation, X-ray Diffraction, 232–234 (1998) 453
Crystallization, EXAFS, Electron Microscopy, XANES, 232–234 (1998) 352
Defects, Diffusion, Molecular Dynamics Simulation, Thermal Properties, 232–234 (1998) 212
Nanocrystalline Materials, Phase Separation, 232–234 (1998) 127
Transport Properties – Solids, Differential Scanning Calorimetry, Structural Relaxation, Two-Level System, 232–234 (1998) 490

Metastability
Differential Scanning Calorimetry, Dynamical Properties, Molybdates, Nuclear Magnetic Resonance, 232–234 (1998) 532

Microstructure
Composites, Glasses, Ionic Conductivity, Phase Transition, 232–234 (1998) 267
Electron Microscopy, Nanocrystalline Materials, Particles, Silicon, 232–234 (1998) 182
Germanates, Glasses, Structure, 232–234 (1998) 440

Modelling
Amorphous Solids, Chalcogenides, Neutron Diffraction, Structure, 232–234 (1998) 434
Ceramics, Neutron Diffraction, Structure, X-ray Diffraction, 232–234 (1998) 155
Clusters, Computer Simulation, Medium-Range Order, Structure, 232–234 (1998) 619
Computer Simulation, Glasses, Medium-Range Order, Structure, 232–234 (1998) 1
Crystal to Amorphous Phase Transformation, Nucleation, Radiation Effects, Thin Films, 232–234 (1998) 219
Glasses, Phosphates, Rare Earth Ions, Reverse Monte Carlo, 232–234 (1998) 227

Molecular Dynamics Simulation
Acoustic Properties, Glasses, Phonons, Silica, 232–234 (1998) 205
Defects, Diffusion, Metallic Glasses, Thermal Properties, 232–234 (1998) 212
Diffusion, Glass Transition, Glasses, Ion Exchange, 232–234 (1998) 245
Dynamical Properties, Glasses, Phonons, Quenching, 232–234 (1998) 459
Electronic Structure, Liquid Alloys, 232–234 (1998) 198
Glasses, Neutron Time of Flight Diffraction, Oxides, Structure, 232–234 (1998) 574

Molecular Dynamics
Computer Simulation, Diffusion, Liquid Alloys, X-ray Diffraction, 232–234 (1998) 560
Glass Transition, Glasses, Quenching, Structure, 232–234 (1998) 119

Molecular Liquids
Dynamical Properties, Inelastic Neutron Scattering, Raman Spectra, Structure, 232–234 (1998) 309

Molybdates
Differential Scanning Calorimetry, Dynamical Properties, Metastability, Nuclear Magnetic Resonance, 232–234 (1998) 532

Nanocrystalline Materials
Amorphous Alloys, EXAFS, XANES, 232–234 (1998) 665
Carbon, Mechanical Amorphization, Neutron Time of Flight Diffraction, Structure, 232–234 (1998) 416
Composites, Electron Microscopy, Sol–Gel Method, X-ray Diffraction, 232–234 (1998) 587
Composites, Nuclear Magnetic Resonance, Sol–Gel Method, 232–234 (1998) 329
Electron Microscopy, Magnetic Properties, Mössbauer Effect, X-ray Diffraction, 232–234 (1998) 169
Electron Microscopy, Microstructure, Particles, Silicon, 232–234 (1998) 182
Germanates, Optical Properties, 232–234 (1998) 708
Metallic Glasses, Phase Separation, 232–234 (1998) 127
Sol–Gel Processes, Chalcogenides, Composites, Optical Properties, 232–234 (1998) 162
Sol–Gel Processes, Phonons, Raman Spectra, Titania, 232–234 (1998) 175

Natural Glasses
Infra-red Absorption, Small Angle X-ray Scattering, X-ray Diffraction, 232–234 (1998) 547

Neutron Diffraction
Alkali Silicate Glasses, Isotope Substitution, Medium-Range Order, Structure, 232–234 (1998) 721
Amorphous Solids, Chalcogenides, Modelling, Structure, 232–234 (1998) 434
Ceramics, Modelling, Structure, X-ray Diffraction, 232–234 (1998) 155
Chalcogenides, EXAFS, Liquid Alloys, Structure, 232–234 (1998) 482
Covalent Glasses, Local Environment, Short-Range Order, Tetrahedral Materials, 232–234 (1998) 51
Covalent Glasses, Local Environment, Silicates, Tetrahedral Materials, 232–234 (1998) 300
Glasses, Phosphates, Rare Earth Ions, Reverse Monte Carlo, 232–234 (1998) 44
Infra-red Absorption, Structure, Tellurite Glasses, Vanadium Oxide, 232–234 (1998) 38
Medium-Range Order, Phosphates, 232–234 (1998) 650
Medium-Range Order, Phosphates, 232–234 (1998) 650

Neutron Inelastic Scattering
Amorphous Alloys, Dynamical Structure, Phonons, Topological Short-Range Order, 232–234 (1998) 613
Collective Modes, Liquid Metals, 232–234 (1998) 252
Glasses Containing Transition Metal Ions, Ionic Conductivity, Low-Energy Excitation, XANES, 232–234 (1998) 278

Neutron Time of Flight Diffraction
Amorphous Alloys, Chalcogenide Glasses, Mechanical Amorphization, Structure, 232–234 (1998) 465
Carbon, Mechanical Amorphization, Nanocrystalline Materials, Structure, 232–234 (1998) 416
Chalcohalides, Liquid Semiconductors, 232–234 (1998) 470
Glasses, Molecular Dynamics Simulation, Oxides, Structure, 232–234 (1998) 574

Non-oxide Glasses
Halide Glasses, Raman Spectra, Short-Range Order, 232–234 (1998) 638

Nuclear Magnetic Resonance
Composites, Nanocrystalline Materials, Sol–Gel Method, 232–234 (1998) 329
Coordination, Sol–Gel Method, Water in Glass, 232–234 (1998) 86
Differential Scanning Calorimetry, Dynamical Properties, Metastability, Molybdates, 232–234 (1998) 532
Glasses, Local Environment, Short-Range Order, Silicates, 232–234 (1998) 403
Glasses, Medium-Range Order, Short-Range Order, Structure, 232–234 (1998) 113

Nucleation
Crystal to Amorphous Phase Transformation, Modelling, Radiation Effects, Thin Films, 232–234 (1998) 219

Optical Properties
Electron Spin Resonance, Glasses, Glasses Containing Transition Metal Ions, Magnetic Properties, 232–234 (1998) 509
Germanates, Nanocrystalline Materials, 232–234 (1998) 708
Sol–Gel Processes, Chalcogenides, Composites, Nanocrystalline Materials, 232–234 (1998) 162

Oxides
Chemical Short-Range Order, Glasses Containing Transition Metal Ions, Mössbauer Effect, Phosphates, 232–234 (1998) 341
Glasses, Molecular Dynamics Simulation, Neutron Time of Flight Diffraction, Structure, 232–234 (1998) 574

Particles
Electron Microscopy, Microstructure, Nanocrystalline Materials, Silicon, 232–234 (1998) 182

Phase Separation
Amorphous Solids, Diffusion, Experimental Techniques, Hydrogen Effects, 232–234 (1998) 133
Chalcogenide Glasses, Structure, 232–234 (1998) 526
Metallic Glasses, Nanocrystalline Materials, 232–234 (1998) 127

Phase Transition
Composites, Glasses, Ionic Conductivity, Microstructure, 232–234 (1998) 267
Disordered Crystals, Structure, Tetrahedral Materials, X-ray Diffraction, 232–234 (1998) 421

Phonons
Acoustic Properties, Glasses, Molecular Dynamics Simulation, Silica, 232–234 (1998) 205
Amorphous Alloys, Dynamical Structure, Neutron Inelastic Scattering, Topological Short-Range Order, 232–234 (1998) 613
Dynamical Properties, Glasses, Molecular Dynamics Simulation, Quenching, 232–234 (1998) 459
Infra-red Absorption, Medium-Range Order, Phosphates, Structure, 232–234 (1998) 99
Sol–Gel Processes, Nanocrystalline Materials, Raman Spectra, Titania, 232–234 (1998) 175

Phosphates
Amorphous Solids, Anomalous X-ray Scattering, EXAFS, 232–234 (1998) 607
Chemical Short-Range Order, Glasses Containing Transition Metal Ions, Mössbauer Effect, Oxides, 232–234 (1998) 341
Chromatography, Medium-Range Order, Structure, 232–234 (1998) 107
EXAFS, Glasses, Rare Earth Ions, Short-Range Order, 232–234 (1998) 286
Glasses, Medium-Range Order, Small Angle X-ray Scattering, X-ray Diffraction, 232–234 (1998) 502
Glasses, Modelling, Rare Earth Ions, Reverse Monte Carlo, 232–234 (1998) 227
Glasses, Neutron Diffraction, Rare Earth Ions, Reverse Monte Carlo, 232–234 (1998) 44
Infra-red Absorption, Medium-Range Order, Phonons, Structure, 232–234 (1998) 99
Medium-Range Order, Neutron Diffraction, 232–234 (1998) 650
Medium-Range Order, Neutron Diffraction, 232–234 (1998) 650

Photoinduced Effects
Chalcogenide Glasses, Crystallization, Structure, Vapour Phase Deposition, 232–234 (1998) 554
Chalcogenide Glasses, EXAFS, Raman Spectra, 232–234 (1998) 80

Polarization
Halide Glasses, Small Angle X-ray Scattering, 232–234 (1998) 147

Porosity
EXAFS, Luminescence, Silicon, X-ray Absorption, 232–234 (1998) 370

Positron Annihilation
Amorphous Polymers, X-ray Diffraction, 232–234 (1998) 446
Crystal to Amorphous Phase Transformation, Defects, Intermetallic Compounds, Mechanical Amorphization, 232–234 (1998) 594

Pressure Effects
EXAFS, Liquid Metals, Liquid Semiconductors, Structure, 232–234 (1998) 93

Quasicrystals
Clusters, Disordered Crystals, 232–234 (1998) 234

Quenching
Dynamical Properties, Glasses, Molecular Dynamics Simulation, Phonons, 232–234 (1998) 459
Glass Transition, Glasses, Molecular Dynamics, Structure, 232–234 (1998) 119

Radiation Effects
Crystal to Amorphous Phase Transformation, Modelling, Nucleation, Thin Films, 232–234 (1998) 219
Electron Spin Resonance, Luminescence, Silica, 232–234 (1998) 323

Raman Spectra
Amorphous Semiconductors, Chalcogenide Glasses, 232–234 (1998) 715
Chalcogenide Glasses, EXAFS, Photoinduced Effects, 232–234 (1998) 80
Chalcogenide Glasses, Glass Transition, Structure, 232–234 (1998) 702
Chalcohalides, EXAFS, Short-Range Order, X-ray Diffraction, 232–234 (1998) 682
Chalcohalides, EXAFS, Short-Range Order, X-ray Diffraction, 232–234 (1998) 688
Dynamical Properties, Inelastic Neutron Scattering, Molecular Liquids, Structure, 232–234 (1998) 309
Glasses, Tellurite Glasses, X-ray Absorption, 232–234 (1998) 293
Halide Glasses, Non-oxide Glasses, Short-Range Order, 232–234 (1998) 638
Sol–Gel Processes, Nanocrystalline Materials, Phonons, Titania, 232–234 (1998) 175

Rare Earth Ions
Doping, Spin coating, XANES, XPS, 232–234 (1998) 65
EXAFS, Glasses, Phosphates, Short-Range Order, 232–234 (1998) 286
Glasses, Modelling, Phosphates, Reverse Monte Carlo, 232–234 (1998) 227
Glasses, Neutron Diffraction, Phosphates, Reverse Monte Carlo, 232–234 (1998) 44
Sol–Gel Processes, Borates, EXAFS, X-ray Absorption, 232–234 (1998) 581

Reverse Monte Carlo
Amorphous Carbon, Structure, 232–234 (1998) 694
Borates, Conductivity, Glasses, Structure, 232–234 (1998) 658
Glasses, Modelling, Phosphates, Rare Earth Ions, 232–234 (1998) 227
Glasses, Neutron Diffraction, Phosphates, Rare Earth Ions, 232–234 (1998) 44

Rigidity Percolation
Chalcogenide Glasses, Glass Formation, Medium-Range Order, Topology, 232–234 (1998) 274

Short-Range Order
Chalcogenide Glasses, Medium-Range Order, Structure, X-ray Diffraction, 232–234 (1998) 335
Chalcohalides, EXAFS, Raman Spectra, X-ray Diffraction, 232–234 (1998) 682

Chalcohalides, EXAFS, Raman Spectra, X-ray Diffraction, 232–234 (1998) 688
Covalent Glasses, Local Environment, Neutron Diffraction, Tetrahedral Materials, 232–234 (1998) 51
EXAFS, Glasses, Phosphates, Rare Earth Ions, 232–234 (1998) 286
EXAFS, Liquid Metals, Supercooled Liquids, 232–234 (1998) 396
EXAFS, Silica, Sol–Gel Method, Titania, 232–234 (1998) 72
Glass Transition, Medium-Range Order, Melting, 232–234 (1998) 427
Glasses, Local Environment, Nuclear Magnetic Resonance, Silicates, 232–234 (1998) 403
Glasses, Medium-Range Order, Nuclear Magnetic Resonance, Structure, 232–234 (1998) 113
Halide Glasses, Non-oxide Glasses, Raman Spectra, 232–234 (1998) 638
Liquid Metals, Liquid Semiconductors, 232–234 (1998) 59

Silica
Acoustic Properties, Glasses, Molecular Dynamics Simulation, Phonons, 232–234 (1998) 205
Dynamical Properties, Fluorescence Spectra, Glasses, 232–234 (1998) 514
Electron Spin Resonance, Luminescence, Radiation Effects, 232–234 (1998) 323
EXAFS, Short-Range Order, Sol–Gel Method, Titania, 232–234 (1998) 72

Silicates
Covalent Glasses, Local Environment, Neutron Diffraction, Tetrahedral Materials, 232–234 (1998) 300
Glasses, Local Environment, Nuclear Magnetic Resonance, Short-Range Order, 232–234 (1998) 403

Silicon Carbide Fibers
Annealing Effects, Glass Ceramics, Medium-Range Order, Small Angle X-ray Scattering, 232–234 (1998) 476

Silicon
Electron Microscopy, Microstructure, Nanocrystalline Materials, Particles, 232–234 (1998) 182
EXAFS, Luminescence, Porosity, X-ray Absorption, 232–234 (1998) 370

Small Angle X-ray Scattering
Annealing Effects, Glass Ceramics, Medium-Range Order, Silicon Carbide Fibers, 232–234 (1998) 476
Glasses, Medium-Range Order, Phosphates, X-ray Diffraction, 232–234 (1998) 502
Halide Glasses, Polarization, 232–234 (1998) 147
Infra-red Absorption, Natural Glasses, X-ray Diffraction, 232–234 (1998) 547

Sol–Gel Method
Composites, Electron Microscopy, Nanocrystalline Materials, X-ray Diffraction, 232–234 (1998) 587
Composites, Nanocrystalline Materials, Nuclear Magnetic Resonance, 232–234 (1998) 329
Coordination, Nuclear Magnetic Resonance, Water in Glass, 232–234 (1998) 86
EXAFS, Short-Range Order, Silica, Titania, 232–234 (1998) 72

Sol–Gel Processes
Borates, EXAFS, Rare Earth Ions, X-ray Absorption, 232–234 (1998) 581
Chalcogenides, Composites, Nanocrystalline Materials, Optical Properties, 232–234 (1998) 162
Nanocrystalline Materials, Phonons, Raman Spectra, Titania, 232–234 (1998) 175

Solid State Reaction
Amorphous Alloys, Kinetics, Mechanical Amorphization, X-ray Diffraction, 232–234 (1998) 383
Composites, Electrical Properties, Electron Microscopy, X-ray Diffraction, 232–234 (1998) 358

Spin coating
Doping, Rare Earth Ions, XANES, XPS, 232–234 (1998) 65

Structural Relaxation
Alloys, Annealing Effects, Mechanical Relaxation, 232–234 (1998) 239
Transport Properties – Solids, Differential Scanning Calorimetry, Metallic Glasses, Two-Level System, 232–234 (1998) 490

Structure
Alkali Silicate Glasses, Isotope Substitution, Medium-Range Order, Neutron Diffraction, 232–234 (1998) 721
Amorphous Alloys, Chalcogenide Glasses, Mechanical Amorphization, Neutron Time of Flight Diffraction, 232–234 (1998) 465
Amorphous Carbon, Reverse Monte Carlo, 232–234 (1998) 694
Amorphous Solids, Chalcogenides, Modelling, Neutron Diffraction, 232–234 (1998) 434
Borates, Conductivity, Glasses, Reverse Monte Carlo, 232–234 (1998) 658
Carbon, Mechanical Amorphization, Nanocrystalline Materials, Neutron Time of Flight Diffraction, 232–234 (1998) 416
Ceramics, Modelling, Neutron Diffraction, X-ray Diffraction, 232–234 (1998) 155

Chalcogenide Glasses, Crystallization, Photoinduced Effects, Vapour Phase Deposition, 232–234 (1998) 554
Chalcogenide Glasses, Glass Transition, Raman Spectra, 232–234 (1998) 702
Chalcogenide Glasses, Medium-Range Order, Short-Range Order, X-ray Diffraction, 232–234 (1998) 335
Chalcogenide Glasses, Phase Separation, 232–234 (1998) 526
Chalcogenides, EXAFS, Liquid Alloys, Neutron Diffraction, 232–234 (1998) 482
Chemical Modification, Glass Transition, 232–234 (1998) 567
Chromatography, Medium-Range Order, Phosphates, 232–234 (1998) 107
Clusters, Computer Simulation, Medium-Range Order, Modelling, 232–234 (1998) 619
Computer Simulation, Glasses, Medium-Range Order, Modelling, 232–234 (1998) 1
Disordered Crystals, Phase Transition, Tetrahedral Materials, X-ray Diffraction, 232–234 (1998) 421
Dynamical Properties, Inelastic Neutron Scattering, Molecular Liquids, Raman Spectra, 232–234 (1998) 309
EXAFS, Liquid Metals, Liquid Semiconductors, Pressure Effects, 232–234 (1998) 93
Germanates, Glasses, Microstructure, 232–234 (1998) 440
Glass Transition, Glasses, Molecular Dynamics, Quenching, 232–234 (1998) 119
Glasses, Medium-Range Order, Nuclear Magnetic Resonance, Short-Range Order, 232–234 (1998) 113
Glasses, Molecular Dynamics Simulation, Neutron Time of Flight Diffraction, Oxides, 232–234 (1998) 574
Infra-red Absorption, Medium-Range Order, Phonons, Phosphates, 232–234 (1998) 99
Infra-red Absorption, Neutron Diffraction, Tellurite Glasses, Vanadium Oxide, 232–234 (1998) 38

Supercooled Liquids
EXAFS, Liquid Metals, Short-Range Order, 232–234 (1998) 396

Tellurite Glasses
Glasses, Raman Spectra, X-ray Absorption, 232–234 (1998) 293
Infra-red Absorption, Neutron Diffraction, Structure, Vanadium Oxide, 232–234 (1998) 38

Tetrahedral Materials
Covalent Glasses, Local Environment, Neutron Diffraction, Short-Range Order, 232–234 (1998) 51
Covalent Glasses, Local Environment, Neutron Diffraction, Silicates, 232–234 (1998) 300
Disordered Crystals, Phase Transition, Structure, X-ray Diffraction, 232–234 (1998) 421

Theory
Electronic Structure, Glasses, Halide Glasses, Ionic Conductivity, 232–234 (1998) 497

Thermal Properties
Defects, Diffusion, Metallic Glasses, Molecular Dynamics Simulation, 232–234 (1998) 212

Thin Films
Crystal to Amorphous Phase Transformation, Modelling, Nucleation, Radiation Effects, 232–234 (1998) 219

Titania
EXAFS, Short-Range Order, Silica, Sol–Gel Method, 232–234 (1998) 72
Sol–Gel Processes, Nanocrystalline Materials, Phonons, Raman Spectra, 232–234 (1998) 175

Topological Short-Range Order
Amorphous Alloys, Dynamical Structure, Neutron Inelastic Scattering, Phonons, 232–234 (1998) 613

Topology
Chalcogenide Glasses, Glass Formation, Medium-Range Order, Rigidity Percolation, 232–234 (1998) 274

Transport Properties – Solids
Computer Simulation, Glasses, 232–234 (1998) 188
Differential Scanning Calorimetry, Metallic Glasses, Structural Relaxation, Two-Level System, 232–234 (1998) 490

Two-Level System
Transport Properties – Solids, Differential Scanning Calorimetry, Metallic Glasses, Structural Relaxation, 232–234 (1998) 490

Vanadium Oxide
Infra-red Absorption, Neutron Diffraction, Structure, Tellurite Glasses, 232–234 (1998) 38

Vapour Phase Deposition
Chalcogenide Glasses, Crystallization, Photoinduced Effects, Structure, 232–234 (1998) 554

Water in Glass
Coordination, Nuclear Magnetic Resonance, Sol–Gel Method, 232–234 (1998) 86

XANES
Amorphous Alloys, EXAFS, Nanocrystalline Materials, 232–234 (1998) 665
Crystallization, EXAFS, Electron Microscopy, Metallic Glasses, 232–234 (1998) 352
Doping, Rare Earth Ions, Spin coating, XPS, 232–234 (1998) 65
EXAFS, Glasses Containing Transition Metal Ions, Ion Implantation, 232–234 (1998) 364
Glasses Containing Transition Metal Ions, Ionic Conductivity, Low-Energy Excitation, Neutron Inelastic Scattering, 232–234 (1998) 278

XPS
Doping, Rare Earth Ions, Spin coating, XANES, 232–234 (1998) 65

X-ray Absorption
Amorphous Solids, Anomalous X-ray Scattering, Glasses, X-ray Diffraction, 232–234 (1998) 25
EXAFS, Luminescence, Porosity, Silicon, 232–234 (1998) 370
Glasses, Raman Spectra, Tellurite Glasses, 232–234 (1998) 293
Sol–Gel Processes, Borates, EXAFS, Rare Earth Ions, 232–234 (1998) 581

X-ray Diffraction
Amorphous Alloys, Kinetics, Mechanical Amorphization, Solid State Reaction, 232–234 (1998) 383
Amorphous Polymers, Positron Annihilation, 232–234 (1998) 446
Amorphous Solids, Anomalous X-ray Scattering, Glasses, X-ray Absorption, 232–234 (1998) 25
Borates, First Sharp Diffraction Peak, Ionic Conductivity, Medium-Range Order, 232–234 (1998) 627
Ceramics, Modelling, Neutron Diffraction, Structure, 232–234 (1998) 155
Chalcogenide Glasses, Medium-Range Order, Short-Range Order, Structure, 232–234 (1998) 335
Chalcohalides, EXAFS, Raman Spectra, Short-Range Order, 232–234 (1998) 682
Chalcohalides, EXAFS, Raman Spectra, Short-Range Order, 232–234 (1998) 688
Composites, Electrical Properties, Electron Microscopy, Solid State Reaction, 232–234 (1998) 358
Composites, Electron Microscopy, Nanocrystalline Materials, Sol–Gel Method, 232–234 (1998) 587
Computer Simulation, Diffusion, Liquid Alloys, Molecular Dynamics, 232–234 (1998) 560
Crystallization, Electrical Properties and Relaxation, Metallic Glasses, 232–234 (1998) 453
Disordered Crystals, Phase Transition, Structure, Tetrahedral Materials, 232–234 (1998) 421
Electron Microscopy, Magnetic Properties, Mössbauer Effect, Nanocrystalline Materials, 232–234 (1998) 169
Glasses, Medium-Range Order, Phosphates, Small Angle X-ray Scattering, 232–234 (1998) 502
Glassy Polymers, Medium-Range Order, 232–234 (1998) 377
Infra-red Absorption, Natural Glasses, Small Angle X-ray Scattering, 232–234 (1998) 547